



Mac OS X Server iCal Server Administration

For Version 10.6 Snow Leopard

© 2009 Apple Inc. All rights reserved.

Under the copyright laws, this manual may not be copied, in whole or in part, without the written consent of Apple.

The Apple logo is a trademark of Apple Inc., registered in the U.S. and other countries. Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

Every effort has been made to ensure that the information in this manual is accurate. Apple is not responsible for printing or clerical errors.

Apple

1 Infinite Loop
Cupertino, CA 95014-2084
408-996-1010
www.apple.com

Apple, the Apple logo, iCal, iChat, Leopard, Mac, Macintosh, the Mac logo, Mac OS, QuickTime, Xgrid, Xsan, and Xserve are trademarks of Apple Inc., registered in the U.S. and other countries.

Finder and Safari are trademarks of Apple Inc.

UNIX® is a registered trademark of The Open Group.

Other company and product names mentioned herein are trademarks of their respective companies. Mention of third-party products is for informational purposes only and constitutes neither an endorsement nor a recommendation. Apple assumes no responsibility with regard to the performance or use of these products.

Simultaneously published in the United States and Canada.

019-1417/2009-05-29

Contents

5	Preface: About This Guide
5	What's New in iCal Server
5	What's in This Guide
6	Using Onscreen Help
6	Documentation Map
7	Viewing PDF Guides Onscreen
8	Printing PDF Guides
8	Getting Documentation Updates
8	Getting Additional Information
10	Chapter 1: Understanding iCal Server
10	iCal Server Features
11	Open Standards
11	Directory and Client Integration
12	Service Scalability
12	Client Applications That Integrate with iCal Server
12	Third-Party Applications
13	iCal Server In Action
14	Chapter 2: Setting Up and Managing iCal Server
14	iCal Server Minimum Requirements
14	Setting Up iCal Server
17	Planning for iCal Server Computing Resources
18	Enabling iCal Server Administration in Server Admin
19	Starting or Stopping iCal Server
19	Configuring DNS for iCal Server
22	Understanding iCal Server Administration Settings
24	Changing the Calendar Data Store Location
25	Changing the Maximum Attachment Size
25	Changing Calendar User Quotas
26	Setting the iCal Server Host Name
26	Setting the iCal Server Port Number
26	Setting the iCal Push Notification Server

27	Enabling Mail Notifications to Attendees
29	Creating the iCal Server's Service Access Control List
30	Creating iCal Resources and Locations
31	Delegating Access to a User's Calendar
31	Configuring Security for iCal Server
32	Choosing and Enabling Secure Authentication for iCal Server
32	Configuring and Enabling Secure Network Traffic for iCal Server
33	Make iCal Server Host a Wiki Server's Calendar
34	Monitoring iCal Server
34	Viewing iCal Server Logs
35	Setting Logging Levels
35	Rotating iCal Server Access Logs
35	Maintaining iCal Server
36	Understanding iCal Server Administration Configuration Files
36	Understanding Calendar Files
36	Backing Up and Restoring Calendar Files
37	Deleting Unused Calendars
38	Supporting iCal 4.0 Client Users
38	Account Settings for iCal Client
39	Adding an iCal Server Account to iCal Client
40	Creating a Calendar on an iCal Server Using iCal Client
40	Setting a Delegate Using iCal Client
41	Chapter 3: Advanced iCal Server Information
41	About iCal Server Configuration Tools
42	About iCal Server Scheduling Operations
42	Understanding the Data Store and File Hierarchy for iCal Server
44	About Process and Load Management of iCal Server
45	iCal Server Scaling
47	About iCal Server Implementation Details
47	Getting the Source Code
47	Where to Go for Additional Information
47	Related Web Sites
47	Standards Documents
49	Index

About This Guide

This guide shows you how to set up and maintain networked calendars for your organization using iCal service, the calendar service for Mac OS X Server.

You will find information about setting up, managing, maintaining, and monitoring iCal service to use Apple's iCal application or other CalDAV compliant calendar application, to access and share calendar events.

What's New in iCal Server

Mac OS X v.10.6 iCal Server offers major enhancements in several key areas:

- **Directory compatibility:** LDAP and Active Directory systems no longer need directory modification to designate calendar users.
- **Mail notifications:** Event attendees without calendar accounts can now receive a mail message that provides event invitation information.
- **Private comments from attendees:** Event attendees can annotate the events with text only they and the organizer can see.
- **Push notification:** Changes made to calendars and events can be reflected in clients immediately.
- **Server-side scheduling:** Event invitations are processed on the server, freeing up the client for better performance.
- **Service discovery:** Clients can use DNS to keep track of which servers are iCal servers..
- **Web client:** The server package now includes a built-in web-based calendar client.

What's in This Guide

This guide includes the following chapters:

- Chapter 1, "Understanding iCal Server" provides an overview of iCal service and how it is used.

- Chapter 2, “Setting Up and Managing iCal Server” provides instructions for setting up and managing iCal.
- Chapter 3, “Advanced iCal Server Information” provides detailed implementation information about the service.

Note: Because Apple periodically releases new versions and updates to its software, images shown in this book may be different from what you see on your screen.

Using Onscreen Help

You can get task instructions onscreen in Help Viewer while you’re managing Mac OS X Server. You can view help on a server, or on an administrator computer. (An administrator computer is a Mac OS X computer with Mac OS X Server administrator software installed on it.)

To get the most recent onscreen help for Mac OS X Server:

- Open Server Admin or Workgroup Manager and then:
 - Use the Help menu to search for a task you want to perform.
 - Choose Help > Server Admin Help or Help > Workgroup Manager Help to browse and search the help topics.

The onscreen help contains instructions taken from *Advanced Server Administration* and other administration guides.


To see the most recent server help topics:

- Make sure the server or administrator computer is connected to the Internet while you’re getting help.

Help Viewer automatically retrieves and caches the most recent server help topics from the Internet. When not connected to the Internet, Help Viewer displays cached help topics.

Documentation Map

Mac OS X Server has a suite of guides that cover management of individual services. Each service may depend on other services for maximum utility. The documentation map below shows some related guides that you may need in order to fully configure iCal Server to your specifications. You can get these guides in PDF format from the Mac OS X Server resources website:



Viewing PDF Guides Onscreen

While reading the PDF version of a guide onscreen:

- Show bookmarks to see the guide's outline, and click a bookmark to jump to the corresponding section.
- Search for a word or phrase to see a list of places where it appears in the document. Click a listed place to see the page where it occurs.
- Click a cross-reference to jump to the referenced section. Click a web link to visit the website in your browser.

Printing PDF Guides

If you want to print a guide, you can take these steps to save paper and ink:

- Save ink or toner by not printing the cover page.
- Save color ink on a color printer by looking in the panes of the Print dialog for an option to print in grays or black and white.
- Reduce the bulk of the printed document and save paper by printing more than one page per sheet of paper. In the Print dialog, change Scale to 115% (155% for *Getting Started*). Then choose Layout from the untitled pop-up menu. If your printer supports two-sided (duplex) printing, select one of the Two-Sided options. Otherwise, choose 2 from the Pages per Sheet pop-up menu, and optionally choose Single Hairline from the Border menu. (If you're using Mac OS X v10.4 or earlier, the Scale setting is in the Page Setup dialog and the Layout settings are in the Print dialog.)

You may want to enlarge the printed pages even if you don't print double sided, because the PDF page size is smaller than standard printer paper. In the Print dialog or Page Setup dialog, try changing Scale to 115% (155% for *Getting Started*, which has CD-size pages).

Getting Documentation Updates

Periodically, Apple posts revised help pages and new editions of guides. Some revised help pages update the latest editions of the guides.

- To view new onscreen help topics for a server application, make sure your server or administrator computer is connected to the Internet and click "Latest help topics" or "Staying current" in the main help page for the application.
- To download the latest guides in PDF format, go to the Mac OS X Server Resources website at: www.apple.com/server/resources/
- An RSS feed listing the latest updates to Mac OS X Server documentation and onscreen help is available. To view the feed, use an RSS reader application such as Safari or Mail and go to: feed://helposx.apple.com/rss/snowleopard/serverdocupdates.xml

Getting Additional Information

For more information, consult these resources:

- *Read Me documents* — get important updates and special information. Look for them on the server discs.
- *Mac OS X Server website* (www.apple.com/server/macosx/)—enter the gateway to extensive product and technology information.

- *Mac OS X Server Support website* (www.apple.com/support/macosxserver/)—access hundreds of articles from Apple’s support organization.
- *Apple Discussions website* (discussions.apple.com/)—share questions, knowledge, and advice with other administrators.
- *Apple Mailing Lists website* (www.lists.apple.com/)—subscribe to mailing lists so you can communicate with other administrators using email.
- *Apple Training and Certification website* (www.apple.com/training/)—hone your server administration skills with instructor-led or self-paced training, and differentiate yourself with certification.

Understanding iCal Server

1

Use this chapter to learn about iCal Server features, implementation, and integration.

iCal Server is the shared calendar service for Mac OS X Server. Built on open standard protocols, iCal Server provides integration with leading calendaring programs.

Now it's easy to share calendars, schedule meetings, and coordinate events within a workgroup, a small business, or a large corporation. Built on open standard protocols, iCal service integrates with leading calendaring programs. iCal service doesn't impose a per-user license, so your organization can grow without paying for additional licenses.

iCal Server Features

iCal service is Mac OS X Server's complete calendaring solution for your organization's needs. It has all the features you need for a full calendaring solution, including:

- **Attachments:** Events can have file attachments associated with them, so every event participant can have a copy of a file or meeting agenda.
- **Delegation (proxy) support:** Other users can be authorized to view your calendar events. This allows people to track subordinates, resources, or other designated calendar users. Proxies are used to allow event scheduling delegation as well.
- **Directory support:** iCal service works with Open Directory and Active Directory to provide calendar service for users.
- **Mail notifications:** Event attendees without calendar accounts can now get a mail message with event invitation information.
- **Event invitations:** Users can invite others to an event. When the recipient acknowledges the invitation, the scheduler gets the RSVP.
- **Fine-grained access controls:** iCal service fully supports access control lists (ACLs) for events and attachments.
- **Free/Busy browsing:** When scheduling an event, a user can check to see if the invitees are available to accept an invitation.

- **Location and resource scheduling:** Resources (projectors, cars, and so forth) and locations can have their own calendars and can be invited to events.
- **Multiple calendars:** Each person or resource can have multiple calendars. Users can organize their calendars however they choose.
- **Push notification:** Changes made to calendars and events can be reflected in clients immediately.
- **Server-side scheduling:** Event invitations are processed on the server, freeing up the client for better performance.

Open Standards

iCal service is based on open standards. Each part of iCal service is a published standard. It's built upon a strong foundation of proven standards and familiar technologies, including:

- **HTTP (RFC 2616):** HTTP serves as the method of communication between the calendar clients and the server.
- **WebDAV (RFC 4918):** WebDAV serves as iCal service's method for reading and writing calendar files on the server.
- **CalDAV (RFC 4791):** CalDAV is an extension of WebDAV to provide features specific to calendaring (like searches for free/busy information and use of the invitation protocol iTIP).
- **iCalendar (RFC 2445):** iCalendar is the standard text format for describing events.
- **iTIP (RFC 2446):** iTIP is the standard for making and responding to event invitations.

Apple is a member of the Calendaring and Scheduling Consortium (CalConnect) and is committed to open standards-based calendaring and scheduling protocols. To further the widespread adoption and deployment of these standards, complete source code is released to the open source community as part of the Darwin Calendar Server project, hosted on the macosforge.org website, calendarserver.org.

Directory and Client Integration

iCal service is integrated with Mac OS X Server's foundation technologies. Calendar users are authenticated from Open Directory and Kerberos. iCal service is available to Apple Wiki groups, with each having its own shared calendar. The calendar files are stored in flat files so they can integrate with any storage system, local or networked.

In addition to Mac OS X Server technologies, iCal service can integrate with other directory systems like Active Directory or plain LDAP systems.

iCal service uses open calendaring protocols for integrating with leading calendar programs, including iCal 4 in Mac OS X v10.6, Mozilla's Sunbird, OSAF's Chandler, and Microsoft Outlook (using an open source connector).

Service Scalability

Because the technology is based on web standards, iCal service has all the scalability of Mac OS X Server's world-class web services.

As your organization grows, iCal service can take advantage of standard scalability technologies such as network load distributors, storage networks, and distributed directory servers.

To maximize service scalability and minimize loss of productivity from service outages, iCal service is optimized for use with Xsan—Apple's clustered file system. With Xsan, multiple calendar servers can read and write to the same volume, making it easy to increase performance and improve service reliability by scaling for additional servers.

Client Applications That Integrate with iCal Server

The following Apple applications can use Mac OS X Server's iCal service. For a client to use iCal service, the client must support the CalDAV protocol.

- **iCal 4.0:** The version of iCal that ships with Mac OS X v10.6 has built-in support for CalDAV and therefore iCal service.

For more information on configuring iCal 4.0 for use with iCal Server, see “Supporting iCal 4.0 Client Users” on page 38 and iCal’s online help.

- **Apple built-in web calendar:** The wiki service has an online calendar for each wikiuser that has iCal service enabled.

For more information on using the web client for iCal Server, open Server Admin and then use the Help menu to search for “wiki,” or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.

Third-Party Applications

In addition, the following third-party applications can use iCal service. These applications are from companies or projects that have committed to using CalDAV as an open calendaring service. This list does not indicate an endorsement or support for any of the products listed.


- Mozilla Sunbird and Lightning (open source)
- Open Software Application Foundation Chandler (open source)
- Microsoft Outlook using the open source Outlook Connector Project
- Mulberry (open source)
- GNOME Evolution using the CalDAV plugin (open source)

- Zidone (commercial plugin)
- EMClient (Windows only commercial plugin)

iCal Server In Action

The following illustration shows the iCal service in a common workgroup environment. iCal service is running on an Xserve connected to a shared storage system, Xsan. The Open Directory server authenticates the calendar users.

The calendar users view, make, and save calendars and calendar entries using iCal 4.0 (for Mac OS X v10.6 and later), or some other CalDAV compliant application. A Web server on the same network is running an Apple wiki server for a group with a shared group calendar. That same web server is also a client computer, accessing iCal service for the wiki calendar.



Setting Up and Managing iCal Server

2

Use this chapter to set up and manage iCal Server. iCal Server is configured using Server Admin, authenticated using Open Directory, and accessed using any CalDAV compatible client.

iCal Server is configured using Server Admin, authenticated using Open Directory, and accessed using any CalDAV compatible client.

This chapter provides the planning steps and tasks necessary to set up iCal Server. It also provides information about how to manage and monitor iCal Server.

iCal Server Minimum Requirements

To run iCal Server, you need:

- A host name for the server with full reverse DNS lookup
- A firewall rule that allows TCP connections from iCal Server clients to the iCal Server on a chosen port
- User names and passwords stored in a directory service (such as a Mac OS X v10.5 or later Open Directory system, or an Active Directory system)
- (Optional) If you use Kerberos for authentication, a running Kerberos system

A functioning DNS system, with full reverse lookups, a firewall to allow configuration, and an Open Directory server for authentication constitute a bare minimum for the setup environment.

Setting Up iCal Server

iCal Server depends on other Mac OS X Server features. The following steps give the basic setup instructions and considerations for the first time you deploy iCal Server.

Step 1: Plan your deployment

Make sure your target server meets the minimum Mac OS X Server system requirements. Make sure the number of servers is adequate for the estimated traffic. Make sure the storage space for calendars and attachments is sufficient for the estimated amount of data.

Additional information that can help you make these storage decisions can be found in Chapter 3, “Advanced iCal Server Information,” on page 41 and “Planning for iCal Server Computing Resources” on page 17.

Step 2: Gather your information

You need the following information before you begin:

- Host name of the server
- TCP port to respond to iCal Server connections
- Authentication method (Digest, Kerberos v5, or Any)
- Location of the data store
- Estimated maximum attachment size
- Estimated storage quota per user
- Certificate and port information for SSL connections (optional)

Gathering the information beforehand helps to make sure the installation goes smoothly, and helps you make planning decisions.

Step 3: Set up the environment and infrastructure

If you are not in complete control of the network environment (DNS servers, DHCP server, firewall, and so forth), coordinate with your network administrator before installing.

If you are planning on connecting the server to an existing directory system, you must also coordinate efforts with the directory administrator.

Before starting iCal Server, you must set up the following environment and infrastructure services:

- Set up Server Admin to connect to the calendar server and administer the service.
For more information on configuring Server Admin, open Server Admin and then use the Help menu, or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.
- If you use a directory service to authenticate users, make sure the directory service is functional and the calendar server is bound to the directory.
For more information about creating and using a directory, open Workgroup Manager and then use the Help menu, or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.

- Create Service (SRV) records in the DNS for CalDAV calendar service.
For more information about creating an SRV record, see “Configuring DNS for iCal Server” on page 19.
- If you use SSL certificates to encrypt traffic, install the SSL certificate on the server (and client as appropriate).
For more information on installing or creating certificates, open Server Admin and then use the Help menu to search for “certificate,” or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.
- Configure the network firewall (and server firewall, if necessary) to allow iCal Server traffic.
For more information on configuring the firewall, open Server Admin and then use the Help menu to search for “firewall,” or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.
- If you’re using a proxy service for mobile access, enable the calendar proxy server or get the calendar server proxy host name.
For more information on running your own calendar proxy service, open Server Admin and then use the Help menu, or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.
- If you’re using push notifications for mobile devices, enable the push notification service or get the push notification server host name.
For more information on running your own calendar push service, open Server Admin and then use the Help menu to search for “push notification,” or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.

Step 4: Enable user calendar accounts

Users on a server or in a directory service get calendar service automatically, unless restricted. You can give resources and locations calendar accounts as well. If you are using Mac OS X Server v10.6 for your directory service, use Server Admin and iCal Server Utility to add iCal Server accounts to users, groups, locations, and resources. By enabling iCal Server accounts for a user using Server Admin, you give the user service access control list (SACL) permissions to the calendar service

Additionally, you can set the global calendar attachment file size quota.

For more information about enabling calendar service for iCal Server principals (users, groups, and resources), see the following sections:

- “Creating the iCal Server’s Service Access Control List” on page 29
- “Creating iCal Resources and Locations” on page 30
- “Delegating Access to a User’s Calendar” on page 31
- “Changing Calendar User Quotas” on page 25

Step 5: Configure and start iCal Server

Configure the service parameters and turn on the iCal Server. As users log in to the service with their CalDAV-enabled calendar applications, the service creates the needed directories and files.

For more information about enabling, configuring, and starting iCal Server, see the following sections:

- “Understanding iCal Server Administration Settings” on page 22
- “Changing the Calendar Data Store Location” on page 24
- “Changing the Maximum Attachment Size” on page 25
- “Setting the iCal Server Host Name” on page 26
- “Setting the iCal Server Port Number” on page 26
- “Enabling Mail Notifications to Attendees” on page 27
- “Starting or Stopping iCal Server” on page 19

Planning for iCal Server Computing Resources

Before setting up iCal Server, you must plan for and allocate computing resources for the service. There are two main considerations in allocating resources to the service: file storage and connection load usage.

Storage Resources

Unless people attach files to event, disk space is not a problem with a calendaring system. Calendar events are at most a few KB of space, and even a full calendar with a thousand events can total to less than 2 MB per calendar. Typically the average calendar size is determined by:

- The number of recurring events
- The number of attendees per event
- Whether attachments are included in events

Attachments are stored as separate files on the server with Uniform Resource Identifier (URI) pointers in the events. If you anticipate use of attachments you must reserve additional size.

As an example, let’s imagine a user who creates 8 one-hour, nonrepeating events per day for a year. This would be an extremely busy person. That would be 2,920 events. At a generous 5 KB each, that calendar will be about 14 MB. So if you assume 15 MB per user per year, then you would need about 1.5 GB per year for 100 users.

A good rule of thumb for needed storage is:

$(15 \text{ MB} + \text{global user attachment quota}) \times \text{number of users} \times \text{number of years of saved calendar data}$.

Processing and Network Load Resources

Because the protocol that carries the calendar information to and from the server is based on web standards, determining the number of servers needed, and how much bandwidth is the same for a CalDAV server like iCal Server as it is for any web service.

Queries to the calendar are a wide array of HTTP methods (PUT, GET, PROPFIND, REPORT, ACL, PROPPATCH, and POST methods). Server side processes collect and collate the calendar information to push to clients.

Therefore, plan your resources for the iCal server like you do for a web server. In general the average calendar server load is determined by:

- The number of simultaneous activities

The queries can be free-busy requests by people creating events and updating existing events.

Notice that the number of isn't the same as number of users. For example, if the calendar users adjust their calendars less often, or at different times, you have reduced the number of activities.

- The complexity of individual calendars

Calendars with greater complexity require slightly more computational power on the part of the server. The server is responsible for collating multiple events, calculating future events from repeating events, and searching user records for attendee information.

Apple's iCal Server engages in prolific caching while not serving data which moves time-intensive computations to relatively slow periods of activity. This spreads the load across time and makes calendar queries as fast as possible. In general, calendar complexity is minor compared to the number of simultaneous calendar activities.

Enabling iCal Server Administration in Server Admin

You must turn on iCal Server administration before you can use Server Admin to configure or enable it. This allows Server Admin to start, stop, and change settings for iCal Server.

You don't need to enable iCal Server administration if you plan on using the server administration command line tool `serveradmin` instead of Server Admin.

To enable iCal Server for administration:

- 1 Open Server Admin.
- 2 Select a server, click the Settings button in the toolbar, and then click the Services tab.
- 3 Select the checkbox for iCal Server.

From the command line:

```
sudo serveradmin settings info:serviceConfig:services:com.apple.  
ServerAdmin.Calendar:configured = yes
```

The iCal Server is ready to configure and control using Server Admin.

Starting or Stopping iCal Server

After you make configuration or user-provisioning changes, you must restart the iCal Server.

To start or stop iCal Server:

- 1 Open Server Admin.
- 2 Select a server, then click the service disclosure triangle to show the services for administration.

These instructions assume iCal Server was enabled in the service administration list of Server Admin.

- 3 In the service list beneath the server, select iCal Server.
- 4 Click Start iCal, the service start button below the server list.

If the service is running, click Stop iCal.

From the command line:

```
sudo serveradmin start calendar  
sudo serveradmin stop calendar
```

Configuring DNS for iCal Server

Mac OS X's iCal application detects the host name of the calendar server. This allows the calendar client to populate configuration panels without unnecessary user effort.

iCal queries the DNS system for the service record (SRV) associated with CalDAV service. The DNS server returns the host name and port for connecting to the CalDAV service. The client application uses this information to populate the settings pane for the user's account.

For automatic detection to work, you must create an SRV type DNS record for the iCal Server. If you don't have administrative access to the DNS system for your network, arrange the creation of the SRV record with your network administrator.

Depending on whether the service will use SSL, one or two service types (one for SSL, one without) must be specified in DNS SRV entries. Each type needs its own DNS entry with corresponding port.

Because DNS systems can be administered in many ways and on many platforms, this topic can't give exact, step-by-step instructions for the creation of the record. This section contains only SRV record keys and values.

The record uses this format:

```
_Service._Protocol.Name. TTL Class SRV Priority Weight Port Target
```

The SRV record requires these settings:

- **Service:** `_caldav` (`_caldavs` for SSL connections)
- **Protocol:** `_tcp`
- **Name:** The domain name that this record is valid for, followed by a period (for example, `example.com.`)
- **Class:** `IN`
- **Port:** 8008, 8443 for SSL connections, or whichever port you define for the service. Don't use the same port for `_caldavs` as you do for `_caldav`.
- **Target:** The calendar server's fully qualified domain name, followed by a period (for example, `calendar.example.com.`)

SRV records cannot use aliases or CNAMEs as valid targets. The SRV record must point to an A record only.

The SRV records contain values which are not specified for the service operation, but are specific to your needs, such as the following:

- **TTL:** A DNS time to live number; for example, 86400 is 86400 seconds, or 1 day
- **Priority:** The target host priority, where a lower value means the target is more preferred (for example, a target with priority 5 will have traffic routed to it before a target with priority 10)
- **Weight:** The relative weight for records with the same priority (for example, if server A's weight is 10 and server B's weight is 90, the DNS server will point client requests to server B nine times more often than it points to server A.)

For more information on round-robin priority weighting, see "iCal Server Scaling" on page 45.

An iCal Server SRV record in a DNS configuration file would look like this:

```
_caldav._tcp.example.com. 86400 IN SRV 0 0 8008 calendar.example.com.
```

The SRV record above indicates a calendar server at `calendar.example.com`, listening on `tcp` port 8008, whose record can be cached for 1 day. If there were multiple calendar servers, the priority and weight numbers would be something other than zero.

Important: Although Mac OS X Server v10.6 has a powerful, fully functional DNS system and can provide the SRV records, the Server Admin interface to the DNS system doesn't create the correct format of SRV record for this use. You must edit the DNS configuration files by some other means.

If you want to edit the DNS system running on a Snow Leopard, you will have to edit the zone record files manually via the command line. Doing so is not recommended for administrators without previous experience administering DNS BIND 9 on Mac OS X Server.

To edit the DNS files for an iCal Server

You must edit a file for each zone that needs an SRV record. The zone files are located at (where <domain.tld> is the domain name and top level domain of the zone):

```
/var/named/db.<domain.tld>.
```

IMPORTANT: The zone file contains an "include" line of code that programmatically inserts the contents of a file managed by Server Admin at /var/named/zones/db.<domain.tld>.zone.apple in the zone file. Do not alter or remove the "include" line.

All the additions you will make should be done at the end of the file.

This code block is the information that is in the Server Admin managed zone file at /var/named/zones/db.<domain.tld>.zone.apple. It is presented here as if it were in the file located at /var/named/db.<domain.tld>. so you can see the A records that are referenced in the SRV records. The following sample gives in-code comments and examples of configuration settings.

```
;GUID=<GUID here>
$TTL 10800          ; default expiration time of a record
example.com. IN SOA ns.example.com. username.example.com. (
    2009031903      ;Serial
    86400           ;Refresh
    3600            ;Retry
    604800          ;Expire
    345600          ;Negative caching TTL
)
example.com. IN NS   ns.example.com.
; "ns.example.com" is the name server for the domain "example.com"
example.com. IN A    10.0.0.1
; the IP address for "example.com"
ns           A       10.0.0.2
; ip address for "ns.example.com"
name        CNAME   ns
; "name.example.com" is another name for for "ns.example.com"
calendar    IN A    10.0.0.12
```

```
; the IP address for "calendar.example.com"
        TXT    "The iCal Server that we're using"
; text explanation of server
ical          IN  CNAME  calendar.example.com.
; "ical.example.com" is another name for "calendar.example.com"
calendar2     IN  A      10.0.0.13
; the IP address for "calendar2.example.com"
        TXT    "a backup iCal Server"
; text explanation of server
;
; Here you begin the lines which are the necessary SRV record
; for the calendar service. See the in-code comments.
;
_caldav._tcp.example.com. 86400 IN SRV 0 0 8008 calendar.example.com.
; the above line could also be--
; _caldav._tcp 86400 IN SRV 0 0 8008 calendar.example.com.
; or even--
; _caldav._tcp 86400 IN SRV 0 0 8008 calendar
;
; the following line makes "calendar2.example.com" a round robin
; with lower priority when "calendar.example.com" is down
_caldav._tcp.example.com. 86400 IN SRV 1 0 8008 calendar2.example.com.
;
; the following two lines show the previously described
; calendar servers using SSL for security
_caldavs._tcp.example.com. 86400 IN SRV 0 0 8443 calendar.example.com.
_caldavs._tcp.example.com. 86400 IN SRV 1 0 8443 calendar2.example.com.
```

Understanding iCal Server Administration Settings

The following settings are available for customization using Server Admin:

Setting	Description
Data store	<p>This is where the server stores all user calendars, delegate lists, and event attachments.</p> <p>To change this setting, see “Changing the Calendar Data Store Location” on page 24.</p>
Maximum attachment size	<p>This is the maximum file size (in MB) for each event attachment.</p> <p>To change this setting, see “Changing the Maximum Attachment Size” on page 25.</p>
User quota	<p>This is the total size of all user calendars and event attachments.</p> <p>To change this setting, see “Changing Calendar User Quotas” on page 25.</p>
Log Level	<p>This setting changes how much information is recorded in the service logs.</p> <p>To change this setting, see “Setting Logging Levels”</p>
Push Notifications	<p>This is the server that sends calendar updates to mobile clients.</p> <p>To change this setting, see “Setting the iCal Push Notification Server” on page 26.</p>
Wiki Server	<p>This is a wiki server whose calendars are hosted by the iCal Server.</p> <p>To change this setting, see TBD.</p>
Enable Email Notifications	<p>This setting allows the calendar server to send and receive event notifications via email.</p> <p>To change this setting, see “Enabling Mail Notifications to Attendees.”</p>
Authentication Type	<p>This is the authentication method required for calendar access.</p> <p>To change this setting, see “Configuring Security for iCal Server” on page 31.</p>
Host name	<p>This is the fully qualified domain name in DNS. It should be in the reverse lookup domain as well.</p> <p>To change this setting, see “Setting the iCal Server Host Name” on page 26.</p>

Setting	Description
Port	This is the HTTP port number that iCal Server uses for connections. The default port for non-SSL connections is 8008. To change this setting, see “Supporting iCal 4.0 Client Users” on page 38.
SSL (Secure Sockets Layer) and certificate chooser	Choose a pop-up setting to Require or Allow SSL to encrypt network traffic between the calendar server and clients. When selected, choose the certificate to use. The Default port is 8443. To change this setting, see “Configuring and Enabling Secure Network Traffic for iCal Server” on page 32.
SSL Port	When SSL is selectee, choose your SSL port. The Default port is 8443. To change this setting, see “Configuring and Enabling Secure Network Traffic for iCal Server” on page 32.

If you prefer to administer the service from the command line, you can use the `serveradmin` tool. See the `serveradmin` man page for the syntax description.

For an introduction to using the command line for administration, see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.

Changing the Calendar Data Store Location

The data store is where the server stores all user calendars and event attachments. The default location is `/Library/CalendarServer/Documents/`. If you change the data store location, you must set the proper permissions on the new data store location.

This location is relative to the local file system, so if the storage location is on a network volume, enter the local filesystem mount point and not a network URL.

If you already have a data store fully populated with user calendars, you must move the files when you change the location. To see how to move the files, see “Understanding the Data Store and File Hierarchy for iCal Server” on page 42.

To change the default data store:

- 1 Create the folder for the data store.
- 2 Set the ownership and permissions of the new data store to match the previous location.
- 3 In Server Admin, select a server and choose iCal Server.
- 4 Click the Settings button in the toolbar, then the General tab.
- 5 In the Data Store field, enter the new location.

Alternately, click the Choose button and navigate to the new location.

- 6 Click Save, then restart the service.

From the command line:

```
sudo mkdir <new path>
sudo chown _calendar:_calendar <new path>
sudo chmod 740 <new path>
sudo serveradmin set calendar:DocumentRoot = "<new path>"
```

Changing the Maximum Attachment Size

Each event on a calendar can have files attached to it. All invitees to the event can access the attachments.

The maximum attachment size is the maximum total size of all attachments for an event. There is no limit to the total number of files attached to a single event except for the calendar user's storage quota.

To set the attachment size limit:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, then the General tab.
- 3 In the Maximum Attachment Size field, enter the file size (in MB).
- 4 Click Save, then restart the service.

From the command line:

```
sudo serveradmin set calendar:MaximumAttachmentSize = <file size in
bytes, default is 1048576>
```

Changing Calendar User Quotas

Each calendar user has a disk quota. This quota is the total possible size of all the user's calendars and event attachments.

Quotas are not set on a per-user basis. They are set globally for all users. Do not allow the total of all your users' quotas to exceed the storage capacity of the data store.

To change the user quota:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, then the General tab.
- 3 In the User Quota field, enter the quota amount (in MB).
- 4 Click Save, then restart the service.

From the command line:

```
sudo serveradmin set calendar:UserQuota = <file size in bytes, default is
104857600>
```

Setting the iCal Server Host Name

When setting up iCal Server, you specify the host name of the iCal server. It should be a fully qualified domain name matched with a reverse lookup record. If left blank, the calendar server will default to the local hostname.

Be sure the change you make here is reflected in the DNS SRV records.

To set the host name:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, then the Authentication tab.
- 3 In the Host Name field, enter the host name.
- 4 Click Save, then restart the service.

From the command line:

```
sudo serveradmin set calendar:ServerHostName = "<host name, for example  
cal.example.com>"
```

Setting the iCal Server Port Number

When setting up iCal Server, the server is set to use TCP port 8008. You can change the port, you can do so in Server Admin.

Be sure to make the relevant changes to your firewall to allow network access to the server.

To set the port number:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, then the Authentication tab.
- 3 In the HTTP Port Number field, enter the port number.
- 4 Click Save, then restart the service.

From the command line:

```
sudo serveradmin set calendar:HTTPPort = <port number, default for non-  
SSL is 8008>
```

Setting the iCal Push Notification Server

Apple's iCal Server supports push notification for calendar invitations and events. Instead of having the calendar client constantly access the calendar server, to search for new event invitations, the client maintains a very light network connection and the server informs the client if the client has received an event invitation, or if an event has changed.

Be sure to make the appropriate changes to your firewall to allow network access to the push notification server.

If a push notification is already configured on the server, it is listed in the relevant location on the iCal Server settings pane. You can use these instructions to specify a different server.

To set the push notification server for the first time:

- 1 If Push Notification service isn't running on another computer for the network running Mac OS X Server v10.6, activate Push Notification on the iCal Server.
 - In Server Admin, select the desired server and choose Push Notification service.
 - Then, click Settings in the toolbar, and select Start Push Notification.
- 2 In Server Admin, select a server and choose iCal Server.
- 3 Click the Settings button in the toolbar, then the General tab.
- 4 Click Add near the push notification setting area.
- 5 In the new sheet, enter the new host name of the desired push notification server, and an administrator's name and password for the push notification server. Click Ok.

If the push notification server is the same server that is the iCal Server, do not use "localhost" as the host name. Use the full DNS name instead.
- 6 Click Save, then restart the service.

To change the existing push notification server:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, then the General tab.
- 3 Select Remove near the push notification area.
- 4 In the new sheet, enter the new host name of the desired push notification server, and an administrator's name and password for the push notification server. Click Ok.
- 5 Click Save, then restart the service.

From the command line:

```
# on the notification server
sudo serveradmin start notification
# on the iCal Server
sudo serveradmin set calendar:Notifications:Services:XMPPNotifier:Host =
    "<hostname>"
```

Enabling Mail Notifications to Attendees

Attendees can be invited via email if they don't have a iCal Server account. Mail notification is not available for users with iCal Server access on the calendar service. When an event attendee is added by email address, and the host name of the email address is not the same host name as the calendar server, iCal Server can send a message to the attendee with the event information. The iCal Server needs to have its own email account in the email system.

The iCal Server must be able to send mail to an outgoing mail server (an SMTP server) for relay, so you need the SMTP server host name and listening port. You must also make sure there are no firewalls blocking access to the mail server from the calendar server. The SMTP server must be configured to relay mail from the calendar server as well.

The iCal Server also requires access to an incoming mail server, either POP or IMAP, for invitation notifications.

These instructions assume the mail servers are configured and functioning.

To enable email notifications

- 1 Create an email user account in the mail system, and make note of the email address, account name, and password.

For example, the iCal Server could access the account “ical_server@example.com.”

If you need help creating a user account and giving it mail access, open Server Admin and then use the Help menu, or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.

- 2 Get the following settings for the incoming mail server from the mail administrator:
 - Server protocol (for example, POP or IMAP)
 - Host name (for example, mail.example.com)
 - Listening port (for example, 143)
 - User name and password (for example, a user name like ical_server@example.com)
 - Whether the server is using SSL for connection security

If you need help setting up an incoming mail server, open Server Admin and then use the Help menu to search for “mail server,” or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.

- 3 Get the following settings for the outgoing (SMTP) mail server from the mail administrator:
 - Host name (for example, smtp.example.com)
 - Listening port (for example, 25)
 - Whether the server is using SSL for connection security
 - The authentication method and if it’s required (for example, CRAM-MD5 or Kerberos)
 - User name and password (for example, a user name like ical_server@example.com)

If you need help setting up an outgoing mail server, open Server Admin and then use the Help menu to search for “outgoing mail server,” or see the Mac OS X Server Resources website at www.apple.com/server/macosx/resources/.

- 4 In Server Admin, select a server and choose iCal Server.
- 5 Click the Settings button in the toolbar, and click the General tab.

6 Click Enable Email Invitations.

If you have previously set up email invitation settings, click Edit.

7 Fill out the email server information that you have previously gathered, and click OK.**8** Click Save, then restart the service.**From the command line**

```
sudo serveradmin set calendar:Scheduling:iMIP:Enabled = yes
sudo serveradmin set calendar:Scheduling:iMIP:Receiving:Server = "<mail
server host name>" sudo serveradmin set calendar:Scheduling:iMIP:Rec
eiving:UseSSL = <yes or no>
sudo serveradmin set calendar:Scheduling:iMIP:Receiving:Username = "<iCal
Server's user name>"
sudo serveradmin set calendar:Scheduling:iMIP:Receiving:Type = "<POP or
IMAP>"
sudo serveradmin set calendar:Scheduling:iMIP:Receiving:Password =
"<plaintext password>"
sudo serveradmin set calendar:Scheduling:iMIP:Receiving:Port = <POP or
IMAP port number>
sudo serveradmin set calendar:Scheduling:iMIP:MailGatewayServer =
"localhost"
sudo serveradmin set calendar:Scheduling:iMIP:MailGatewayPort = 62310
sudo serveradmin set calendar:Scheduling:iMIP:Sending:Server = "<SMTP
hostname>"
sudo serveradmin set calendar:Scheduling:iMIP:Sending:Port = <SMTP port
number>
sudo serveradmin set calendar:Scheduling:iMIP:Sending:Address = "<iCal
Server's user name>"
sudo serveradmin set calendar:Scheduling:iMIP:Sending:Port = <SMTP port
number>
```

Creating the iCal Server's Service Access Control List

You determine if a user can authenticate to an iCal Server adding him or her to a group called `com.apple.access_calendar`. You can use the Server Admin service access feature to adding the desired users and groups to the group. Otherwise, you can use Workgroup Manager or Server Preferences to add a user to the group, and the user gets the correct service access control list (SACL) setting for calendar use. SACLs are used to authenticate users, not to control provisioning accounts.

To add iCal Server for a user or group:

- 1** Open Server Admin and select the server from the Servers list.
- 2** Click Access.
- 3** Make sure "For all services" or "iCal Server" is selected from the Service list.

“For all services” makes changes to all services. Selecting “iCal Server” only changes the SACL for iCal Server.

- 4 To provide unrestricted access to iCal Server, click “Allow all users and groups.”
- 5 To restrict access to specific users and groups:
 - Select “Allow only users and groups below.”
 - Click the Add (+) button to open the Users & Groups drawer.
 - Drag users and groups from the Users & Groups drawer to the list.

From the command line

```
# Adding user to the group
dseditgroup -o edit -n /LDAPv3/<LDAP server hostname> -u <directory admin
  username> -p -a <username> -t user com.apple.access_calendar
# Adding a group to the group
dseditgroup -o edit -n /LDAPv3/<LDAP server hostname> -u <directory
  admin username> -p -a <group to be added> -t group com.apple.access_
  calendar
# In both cases, you must provide the directory administrator password
```

Creating iCal Resources and Locations

Users and groups aren’t the only parts of a calendaring system. Resources like projectors, microscopes, or cameras and locations like conference rooms or buildings must be scheduled, but they can’t keep their own calendar.

These resources and locations act very much like users and groups. They accept event invitations, and they have free-busy time. Therefore they exist as principal entities in the calendar server for other users and groups to include in event invitations.

iCal Server Utility adds calendars for resources and locations to the iCal Server, and lets you choose delegates for resource and location calendars.

To use resources and locations with iCal Server, you need to have an Open Directory Master to hold the resource and location records. If the users aren’t authenticating to an Open Directory system (for example, they are authenticating to an Active Directory system), the resource and location records need to be in an Open Directory Master server, which is itself bound to the users’ directory system.

For detailed instructions, see the iCal Server Utility help. The help contains very detailed instructions, field descriptions, and guidance for setting up the resources and locations.

To create an iCal Server resource or location:

- 1 Open iCal Server Utility.
- 2 Authenticate to the directory as the directory administrator.

- 3 Select File > New > Resource or Location
- 4 Fill out the information about the resource or location to be added to iCal Server.
For resources, remember to add an “owner’s” contact information.
For locations, remember to add a map using a graphic file.
- 5 Click Save.

Delegating Access to a User’s Calendar

Every user can create and remove calendar events in his or her own calendars in iCal Server. When users want to have someone else edit their personal calendars, they *delegate* (or assign a *proxy* for) calendar management.

iCal Server supports calendar viewing and editing delegates, allowing designated persons to read or write a user’s calendars.

Calendar delegation is not configured on the server side. To set up a user or group delegate, you use calendar client software. Apple’s iCal Server Utility lets you choose delegates for resource and location calendars.

To learn how to configure calendar delegation, see the documentation for your calendar client.

Configuring Security for iCal Server

Security for iCal Server consists of two main areas:

- **Securing the authentication:** This means using a method of authenticating users that is secure and doesn’t transmit the login credentials in clear text over the network. The high-security authentication used pervasively in Mac OS X Server is Kerberos v5.
To learn how to configure secure authentication, see “Choosing and Enabling Secure Authentication for iCal Server” on page 32.
- **Securing the data transport:** This means encrypting the network traffic between the calendar client and the calendar server. When the transport is encrypted, no one can analyze the network traffic and reconstruct the contents of the calendar. iCal Server uses SSL to encrypt the data transport.
To learn how to configure and enable SSL for iCal Server, see “Configuring and Enabling Secure Network Traffic for iCal Server” on page 32.

Choosing and Enabling Secure Authentication for iCal Server

Users authenticate to iCal Server through one of the following methods:

- **Kerberos v.5:** This method uses strong encryption and is used in Mac OS X for single sign-on to services offered by Mac OS X Server. It is the recommended authentication method supported by Mac OS X Server v10.6. Selecting this method requires the exclusive use of Kerberos authentication.
- **Digest:** (RFC 2617) This is HTTP Digest access authentication. It features good encryption of user passwords over the network without the use of a trusted third-party (like the Kerberos realm), and is usable without maintaining a Kerberos infrastructure. Selecting this method requires the exclusive use of Digest authentication.
- **Any:** This allows the maximum flexibility by accepting any authentication type. This includes Kerberos v.5 and Digest authentication. The client can choose the most relevant method for what it can support. Selecting this method allows the use of Digest or Kerberos authentication.

You can set the required authentication method using Server Admin. To enable the highest security, choose "Kerberos."

To use Kerberos authentication, an existing Kerberos password authentication and encryption system must already be in place for users. If you use Kerberos, make the relevant changes to your firewall to allow network access to the Kerberos server from the calendar server.

Digest authentication requires no additional configuration.

To choose an authentication method:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, then the Authentication tab.
- 3 Select the method from the Authentication pop-up menu.
- 4 Click Save, then restart the service.

From the command line:

```
sudo serveradmin set calendar:Authentication:Digest:Enabled = yes
sudo serveradmin set calendar:Authentication:Kerberos:Enabled = yes
sudo serveradmin set calendar:Authentication:Kerberos:ServicePrincipal =
""
sudo serveradmin set calendar:Authentication:Wiki:Enabled = yes
sudo serveradmin set calendar:Authentication:Basic:Enabled = no
```

Configuring and Enabling Secure Network Traffic for iCal Server

When you enable Secure Sockets Layer (SSL), you encrypt all data sent between the iCal server and the client.

To enable SSL, you must select a Certificate. If you use the default self-signed certificate, the clients must choose to trust the certificate before they can make a secure connection.

You can choose to Use or Redirect SSL access. Choosing to Use SSL Access allows the iCal Server to accept connections from both the unencrypted port and the encrypted SSL port. Redirecting SSL access will make iCal server to only listen for and accept accept connections over the designated SSL port, and redirects requests for the HTTP port and sends them to the HTTPS port.

To enable secure network traffic using SSL transport:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, and the Authentication tab.
- 3 In the pop-up menu, select Use, or Redirect to enable SSL.
Don't Use disables SSL access.
- 4 Choose the certificate to be used for encryption.
- 5 Choose a TCP port for SSL to communicate on.
The default port is 8443.
- 6 Click Save, then restart the service.

From the command line:

```
sudo serveradmin set calendar:SSLPort = "<port number; default is 8443>"
sudo serveradmin set calendar:SSLCertificate = "/etc/
certificates/<location of pem SSL certificate>"
sudo serveradmin set calendar:SSLPrivateKey = "/etc/
certificates/<location of pem private key>"
sudo serveradmin set calendar:SSLAuthorityChain = "/etc/
certificates/<location of key's authority chain>"
# The following line is necessary if you want to sets SSL transport to
Redirect instead of Use
sudo serveradmin set calendar:RedirectHTTPToHTTPS = "yes"
```

Make iCal Server Host a Wiki Server's Calendar

An iCal Server can be made to host personal calendars for another Mac OS X Snow Leopard computer that is offering wiki service.

When a Mac OS X Snow Leopard server is running Wiki Server, the "My Page" starting point for wiki users can link to a built-in web calendar. The web calendar is in fact a client for iCal Server and reads and writes to a user's CalDAV account calendar. However, the computer providing the wiki service doesn't have to also provide calendar service. You can designate a different server to act as the calendar server.

You might want to do this because:

- You choose to spread services across several servers.
- You have an existing calendar server and are now adding wiki service.
- You have a large, distributed calendar server infrastructure, and moving service on to the web server is impractical.

When you set up iCal Server to provide the calendar service for a wiki, Wiki Server provides access to the calendars, so users who do not have wiki privileges do not have calendar service.

To provide calendars for a designated wiki server:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, and the General tab.
- 3 Enter the DNS host name or IP address of the Wiki Server.
- 4 If SSL is used by the Wiki Server, check Use SSL.
- 5 Click Save.

From the command line

```
sudo serveradmin set calendar:Authentication:Wiki:Enabled = "yes"
sudo serveradmin set calendar:Authentication:Wiki:Hostname = "<DNS name
of Wiki server>"
sudo serveradmin set calendar:Authentication:Wiki:UseSSL = "<yes or no>"
```

Monitoring iCal Server

To keep iCal Server operating smoothly, you must monitor service logs. The service's overview pane in Server Admin will show you the service start time, service state, and requests per hour.

The following sections contain more information about monitoring iCal Server:

Viewing iCal Server Logs

iCal Server keeps two logs: one for access and one for errors. You can view and filter the logs to troubleshoot the service or monitor overall service reliability.

To view the logs:

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Logs button in the toolbar.
- 3 Select a log from the View pop-up menu.
- 4 Filter the log for specific text strings by using the text filter field.

From the command line:

```
sudo tail -F /var/log/calDavd/error.log
```

```
sudo tail -F /var/log/calcdavd/access.log
```

Setting Logging Levels

iCal Server keeps two logs: one for access and one for errors. You can view and filter the logs to troubleshoot the service or monitor overall service reliability.

Logs can be configured to give you more tailored information. The settings usually range from very verbose (reporting everything that's happening in the server) or very quiet (reporting only the most dire errors). Apple's iCal Server has several possible log levels:

Log level key	Log level description
error	Logs only critical errors. This produces the least amount of output, but it is more focused on problems.
warning	Logs all errors, including innocuous errors like timeouts, and includes critical errors.
info	Logs normal operating actions as well as errors. This is a fairly detailed log
debug	Logs all information of everything to miniscule detail. Use this setting only for debugging purposes, and then set it back to another level after the log capture is complete.

To set the log level

- 1 In Server Admin, select a server and choose iCal Server.
- 2 Click the Settings button in the toolbar, and the General tab.
- 3 Select the log level from the pop-up menu.
- 4 Click save.

From the command line

```
sudo serveradmin set calendar:DefaultLogLevel = "<log level key; default is 'info'>"
```

Rotating iCal Server Access Logs

Service logs sometimes require archiving. Rotating the logs regularly can improve performance in searching the logs and it can reduce used disk space. Enabling this setting allows the logs to be archived and refreshed.

To set the logs to rotate:

- `sudo serveradmin set calendar:RotateAccessLog = yes`

Maintaining iCal Server

The following sections contain information that will assist an iCal Server administrator in keeping iCal Server working smoothly.

Understanding iCal Server Administration Configuration Files

You should administer iCal Server using Server Preferences, Server Admin or the `serveradmin` tool. If Server Admin or `serveradmin` are unavailable, you can configure and run iCal Server from the command line, using built-in tools.

The following files are used to run iCal Server:

- `/etc/caldavd/caldavd.plist`: The main configuration file for `caldavd`
The file contains an XML property list of server options and provides such information as the port to bind to and whether to use SSL. You can specify the names of other files.
- `/var/log/caldavd/access.log`: The server's main log file
- `/var/run/caldavd.pid`: The server's process ID file
- `/usr/share/caldavd`: Implementation and support files

Understanding Calendar Files

Each calendar event is stored as an `.ics` file in the main data store. These `.ics` files can be affected by data corruption due to disk errors or software bugs that can disrupt service.

iCal Server also maintains `sqlite` database files at various levels of the file hierarchy to speed data retrieval. To troubleshoot or resolve problems, an administrator can inspect these files.

You can inspect or test event and calendar `.ics` files for file integrity and remove them if they are corrupt. Additionally, the `sqlite` databases are disposable, and are recreated as needed. You can use the built-in `sqlite` command line tools to query or test the database files, or you can delete them. They are rebuilt when needed.

To access the files, you need root access to the `/Library/CalendarServer/Documents/` folder and its subfolders (or whatever path you configured using Server Admin).

For more information about the calendar file hierarchy, see Chapter 3, “Advanced iCal Server Information.”

Backing Up and Restoring Calendar Files

In addition to backing up the configuration files listed in “Understanding iCal Server Administration Configuration Files” on page 36, you should back up the data store. The location of the data store is shown in the Settings tab of the iCal Server administration pane of Server Admin.

Because iCal Server files are flat files, you can use any backup procedure you want to save the files. You should maintain the original files' POSIX permissions and ACL entries. Your backup solution must preserve extended attributes.

You don't need to back up the calendar database files in the file hierarchy. They are disposable.

Your backup software needs root access to the `/Library/CalendarServer/Documents/` folder (or whatever path you configured using Server Admin) and its subfolders to back them up.

Mac OS X Server provides several command line tools for data backup and restoration:

- `rsync -E`. Use to keep a backup copy of your data in sync with the original. The `-E` flag is mandatory because it preserves file extended attributes. The `rsync` tool only copies files that have changed, but always copies extended attributes.
- `ditto`. Use to perform full file-level backups.
- `asr`. Use to back up and restore an entire volume at disk block-level. If `asr` degrades to file copy mode, rather than block copy mode, it will not copy necessary extended attributes. Make sure `asr` is performing a block copy, and not a file copy.
- `cp` and `scp`. Use these tools to copy files and preserve extended attributes needed for iCal Server.
- `tar`, `pax`, and `gzip`. Use these tools to archive and compress data for use with iCal Server.

The Mac OS X v10.6 Time Machine feature is not recommended for server file and system backup. If Time Machine backup is enabled, it saves the configuration information and status only; none of the calendars or attachments are saved.

Note: You can use the `launchctl` command to automate data backup using the mentioned commands. For more information about using `launchd`, see its man page.

Deleting Unused Calendars

For security, privacy, or disk usage reasons, you might need to delete unused calendars. After calendar files and folders are created in the data store, they are not removed when a user, group, or resource is removed from the directory. This could potentially cause unintended service behavior if a user, group, or resource is created at a future time with the same name as the defunct one.

Important: Before deleting any file, familiarize yourself with the data store file hierarchy. See “Understanding the Data Store and File Hierarchy for iCal Server” before proceeding. Delete files only with extreme caution.

When a user, group, or resource is no longer actively using the calendar, you can easily delete the files, which include calendars, events, to-do lists, and attachments. To do so, delete the user folder from the data store manually.

If you delete the files for security or privacy reasons, use a secure-delete tool like the Mac OS X command line tool `srm`. For command usage, see the `srm` man page.

To delete the files, you need root access to the `/Library/CalendarServer/Documents/` folder and its subfolders.

Supporting iCal 4.0 Client Users

This section contains several basic tasks that iCal client users will do while using their iCal Server account. If you are using a calendar application that is not iCal, these instructions will not work: they are for the iCal application provided with Mac OS X Server v10.6.

Using the “Subscribe” feature in iCal 4.0 to subscribe directly to a CalDAV calendar is not supported. Likewise, subscribing to a Wiki user’s web calendar is also not supported.

Account Settings for iCal Client

In order to add a iCal Server account to iCal, you must know some basic account settings related to the user name and calendar server location. Some of these settings may be usable by other CalDAV clients.

You must know the following information:

For all accounts:

- The iCal Server domain name
This domain name is the fully qualified domain name of the calendar server (for example, `cal.example.com`).
You can use only the domain name (for example, `example.com`) if the domain has an SRV DNS record for calendar service.
- The iCal Server port number
This is the TCP port that the iCal Server is listen on.
- Whether the iCal Server uses SSL encryption or not
- The calendar account location for account creation
If automatic discovery fails the account URL is `http://server:port/principals/users/username/`
If the calendar client doesn’t support automatic discovery (like Leopard’s iCal 3.0) the account URL is `http://server:port/calendars/__uids__/<<GUID>>` where GUID is the user’s globally unique identifier.

For a user calendar account:

- The calendar user’s short name
For example, John Doe might have “`johndoe`” as a short name.
- The calendar user login name

The calendar user login name takes the form of <calendar user's short name>@<iCal Server domain name> in iCal.

- Optional: The user GUID (globally unique identifier)
The user GUID is DCE (Distributed Computing Environment) compatible universally unique Identifier string created by the directory service for a user when his or her directory record is created.

It usually looks something like this: 95432C72-0035-4399-9447-8531601AA699.

Adding an iCal Server Account to iCal Client

If your calendar is hosted on a CalDAV server (for example, through your workplace) you must set up your account in iCal so that it can share information with the CalDAV server.

Adding a calendar account to iCal client

- 1 Choose iCal > Preferences, and then click Accounts.
- 2 Click the Add (+) button in the bottom-left corner of the preferences pane to add a new account.
- 3 In the Description field, enter a short, meaningful description of the calendar (for example, "Work Calendar").
- 4 In the Username and Password fields, enter the user name (in the form <user_short_name>@<calendar server domain>) and your user password, and then click Add.
It should automatically find the calendar account at: `http://<calendar_server_domain:port>/principals/users/<user_short_name>/`
If it does not, you can enter in the following location manually calendar account location: `http://<calendar_server_domain:port>/principals/__uids__/<user GUID>/`
- 5 In the Refresh Calendars pop-up menu, specify how often you want your computer to update the information it shares with the server (for example, to look for new meeting invitations or update changes you've made to your calendar).
- 6 Set the general times that you want to be available for meetings and events.
For example, if you work part time and want coworkers to schedule meetings with you only on weekdays between noon and 5:00 p.m., select Weekdays and enter the times in the adjacent fields.

If your availability includes weekends or only some of the weekdays, select Custom, click Edit, and then make selections to set your availability.

Creating a Calendar on an iCal Server Using iCal Client

You can create separate calendars for different areas of your life (work, home, school, and so on). iCal client makes it easy to make new calendars. If you are using some other calendar client (like Sunbird, or Outlook), consult that application's help to create a calendar.

Creating a calendar

- 1 In the calendar source list, select the default calendar under the CalDAV account name.
If you do not select the default calendar under the CalDAV account, the new calendar will be created locally, not to the iCal server.
- 2 At the bottom of the iCal window, click the Add (+) button.
- 3 Enter a name for your new calendar and press the Return key.

Setting a Delegate Using iCal Client

A read-only delegate is another user who can see your calendar items, including free-busy times, but not change them. Sometimes this is called a “proxy user.”

This setting is very useful for locations and resources. If you make a user or group a read-only delegate for the resource, the delegate can see the details of the resource's use, rather than just whether the resource is busy.

Delegates can also be made to read and write to your calendar. You might have another person who you want to allow to add to or delete events on your calendar. This is a good feature for users with administrative assistants.

Delegates can only be chosen from users with iCal Server in the same authentication directory as you. For example, if your user credentials are stored in a directory, like Open Directory, the delegate must also be a user in your Open Directory system.

To designate a delegate:

- 1 In iCal, open Preferences > Accounts.
- 2 Select the account that you want to share with the delegate.
- 3 Select the Delegation tab.
- 4 Click the Edit button next to “Manage access to my account.”
- 5 In the sheet that drops down, click the Add (+) button.
- 6 Enter the account name who you want to designate as a delegate.
If you want the delegate to be able to change your calendar, check Allow Write.
- 7 Click Done.

Use this chapter to learn about detailed information regarding iCal Server that is suitable for advanced system administrators.

iCal Server provides calendar sharing, collaboration, and synchronization through the CalDAV protocol.

CalDAV is a standard for accessing calendars using WebDAV. It is used to store, query, and retrieve collections of iCalendar (.ics) standard events and to-do (tasks) from a CalDAV enabled server to a suitable client. It is an open standard that allows software products from many development sources to interoperate.

CalDAV architecture treats all events (individual events in a calendar, to-do lists, and out of office blocks) as HTTP resources. The events are transferred using standard HTTP with additional functionality to handle the special needs of calendar event management.

For example, a CalDAV server must use WebDAV access control (RFC3744), must be able to parse iCalendar files (RFC2445), and must be able to conduct calendar-specific operations such as doing free-busy time lookup and expanding repeating events.

Each event is an iCalendar (.ics) formatted file. These events are grouped in collections (user-perceived calendars) and indexed for searching and quick retrieval.

About iCal Server Configuration Tools

iCal Server uses any of four front-end tools:

- Server Admin for Mac OS X
- The tool `serveradmin` for Mac OS X
- Server Preferences for Mac OS X
- The tool `caldavd` for the command-line interface of Darwin server.

In all these cases, the front ends read from a configuration plist file (`/etc/caldav/caldav.plist`) to set service parameters. The plist file is an XML property list that specifies server options such as:

- The network TCP port to bind to
- Whether to use SSL
- The names and locations of support files

For more information on command-line administration, see the `serveradmin man` page, and the `caldav man` page.

About iCal Server Scheduling Operations

In the previous version of iCal Server, when a client made or responded to an invitation, the calendar service only brokered the invitation between the parties, providing transit for the invitation and response files. This sometimes resulted in events not being properly processed, if the originator's or invitee's client didn't process the invitation or responses correctly.

However, the new iCal Server uses a server-side scheduling mechanism to process event invitations and responses without depending on the client. By taking part in the transaction between invitations and responses, the calendar server can cache the results for faster updating and push notifications without depending on the client's connectivity.

Understanding the Data Store and File Hierarchy for iCal Server

By default, the main data store location is `/Library/CalendarServer/Documents/`, but you can specify another location using the Settings tab of the iCal Server administration pane in Server Admin. The `CalendarServer` folder is owned by `root/admin`. The `Documents` folder, and all folders nested in it are owned by `_calendar/_calendar`. The permissions on the hierarchy are set to 740 (user can read, write, and execute; group can read and execute; no permissions outside of the group), so you won't be able to browse the files without root access.

iCal data files are flat files. They don't require special tools to inspect them. All file properties (including the ACLs) are kept in XML format in the files as extended attributes (`xattrs`). Any backup or file manipulation tool you use to move or edit the files must support and preserve extended attributes.

In Mac OS X Server v10.6, the following command-line tools preserve extended attributes: `cp`, `scp`, `ditto`, `tar`, `pax`, `rsync` (with the `-E` flag).

In addition to the data files, the calendar server makes extensive use of sqlite databases indexes for performance. It uses sqlite to index Globally Unique Identifiers (GUIDs), and time spans for events. The sqlite databases are disposable and will be rebuilt as needed.

Calendar principals (users, groups, resources, and locations) are defined by a GUID. A GUID is a 128-bit value hexadecimal notation that uniquely identifies the principal.

This is the organization of the data store:

Location	Description
<code>./calendars/__uids__/<WX>/<YZ>/<GUID></code>	Contains files for each user or group that has created at least one event, todo, or calendar. W and X are the first 2 digits of the GUID (globally unique identifier). Y and Z are the 3rd and 4th digits. GUID is the entire GUID, including the first 4 digits.
<code>./calendars/__uids__/<WX>/<YZ>/<GUID>/calendar/</code>	Contains iCalendar (.ics) files of each event in the principal's calendar. W and X are the first 2 digits of the GUID (globally unique identifier). Y and Z are the 3rd and 4th digits. GUID is the entire GUID, including the first 4 digits.
<code>./calendars/__uids__/<WX>/<YZ>/<GUID>/inbox</code>	Contains iTIP file invitations to other user's pending events. W and X are the first 2 digits of the GUID (globally unique identifier). Y and Z are the 3rd and 4th digits. GUID is the entire GUID, including the first 4 digits.
<code>./calendars/__uids__/<WX>/<YZ>/<GUID>/outbox</code>	Nothing is stored in the outbox, but it is used as the target for certain types of scheduling operations. W and X are the first 2 digits of the GUID (globally unique identifier). Y and Z are the 3rd and 4th digits. GUID is the entire GUID, including the first 4 digits.
<code>./calendars/__uids__/<WX>/<YZ>/<GUID>/dropbox</code>	Contains files attached to events, either from a user's self-created event or from participant events. W and X are the first 2 digits of the GUID (globally unique identifier). Y and Z are the 3rd and 4th digits. GUID is the entire GUID, including the first 4 digits.


Note: Mac OS X Server v10.5 iCal Server's file structure is different. If you upgrade from the old version to Mac OS X Server v10.6, the old file structure is upgraded to the new structure on an as-needed basis as users access their calendars. Anyone upgrading from Mac OS X Server v10.5 to Mac OS X Server v10.6 may see both directory layouts coexisting, although at any one time there is only one path for a GUID.

About Process and Load Management of iCal Server

The daemon for iCal Server has several functional modes. It can be run in master, slave, or combined mode.

About iCal server daemon modes

- **The master process:** Acts as a manager for slave mode daemons and providing central logging service. When iCal Server is running in this mode, it forwards calendar connection requests to another instance of the daemon running in slave mode.
- **The slave process:** Accepts forwarded connections delegated by the load balancer. This process replies to client requests and accesses the calendar data store, answers HTTP requests, and does event parsing.
- **The combined process (default):** Acts as master and slave. It spawns two slave process for every processor core available on the system. It also acts as its own load-balancer, delegating connections to its own spawned slave mode daemons.



For these processes to be balanced, they must have a shared storage location. This can be as simple as a single file system location for a multiprocessor Xserve. If the processes are spread between several servers, the servers must use a shared storage solution like Xsan.

iCal Server Scaling

There are two main methods for scaling iCal Server to meet increasing demand: increasing the number of processors, and increasing the HTTP connection capacity.

- Increasing the number of processors

iCal Server is built for multiple processors and multiple processing cores. It creates a new slave process for every processor core in the system. This process management is automatic, and using a server with more cores will result in more client activity capacity without additional configuration.


- Increasing HTTP connection capacity

Since iCal Server's underlying technology is based on the same technologies that serve the World Wide Web, certain scaling techniques you would use to handle high web client traffic are effective in handling high iCal Server client traffic. The preferred method of scaling HTTP capacity is using a dedicated load balancer. The load balancer distributes client connection load across a group of computers running iCal Server. To the client, there's only one "front-end" (in other words, one domain name and address), and the client's connection requests are forwarded to one of several back-end servers.

A less-preferred method of sharing connection load across several iCal Server is the use of round-robin DNS. In round-robin DNS, several IP addresses are associated in the DNS to a single domain name. In the DNS, the servers are given different priorities, so when a higher-priority server is unavailable, traffic is routed to a lower-priority server. This method has the advantage of not requiring a dedicated load balancer, but has the disadvantages of having possibly irregular load distribution and losing some of the performance benefits of a dedicated balancer.

In either case, you must move storage off the iCal Server and on to some shared storage system like Xsan. These back-end servers all share a common calendar data store because any one of the computers could take a connection from any client.

The following illustration is an example of a scaled iCal Server system. In the figure, the hardware load balancer takes connections from many clients simultaneously. It distributes them evenly to the iCal servers. Internally to each server, the iCal Server spawns a number of slave processes equal to the number of processor cores, and the internal software load balancer automatically distributes the connections across its slave processes. As each iCal Server reads from and writes to user calendars, it does so from the shared storage pool.



About iCal Server Implementation Details

iCal Server is implemented using Python v2.6 or later, using the Twisted network framework. This open source framework gives excellent network performance using an asynchronous networking model without needing to use threads.

The Twisted framework does not support WebDAV level 2 locking or WebDAV versioning (neither of which is required for CalDAV).

The following are software dependencies for implementing iCal Service:

Third-party tools	Apple-provided tools
Twisted	PyKerberos
pyXML	PyOpenDirectory
pyOpenSSL	
vobject	
xattr	
dateutil	
ZOPEInterface	
kqueue	
libevent	
memcached	

Getting the Source Code

iCal Server is available as open source software under the Apache 2.0 license. The code and comments can be inspected. Administrators who want to contribute features or bug fixes can do so at the project site calendarserver.org.

Where to Go for Additional Information

Related Web Sites

- Open Source project site: calendarserver.org
- Industry calendaring and scheduling consortium: calconnect.org

Standards Documents

iCalendar Standards

- RFC 2445: Internet Calendaring and Scheduling Core Object Specification (iCalendar)
- RFC 2446: iCalendar Transport-Independent Interoperability Protocol (iTIP)
- RFC 2447: iCalendar Message-Based Interoperability Protocol (iMIP)

- RFC 3283: Guide to Internet Calendaring

Revised Standards (in progress)

- DRAFT RFC 2445bis: Internet Calendaring and Scheduling Core Object Specification (iCalendar)
- DRAFT RFC 2446bis: iCalendar Transport-Independent Interoperability Protocol (iTIP)
- DRAFT RFC 2447bis: iCalendar Message-Based Interoperability Protocol (iMIP)

HTTP Standards

- RFC 2616: Hypertext Transfer Protocol—HTTP/1.1
- RFC 2617: HTTP Authentication: Basic and Digest Access Authentication
- RFC 4559: SPNEGO-based Kerberos and NTLM HTTP Authentication

WebDAV Standards

- RFC 4918: HTTP Extensions for Distributed Authoring—WEBDAV
- DRAFT RFC 2518bis: HTTP Extensions for Distributed Authoring—WEBDAV
- RFC 3253: Versioning Extensions to WebDAV
- RFC 3744: WebDAV Access Control Protocol
- RFC 4331: Quota and Size Properties for Distributed Authoring and Versioning (DAV) Collections
- RFC 5397: WebDAV Current Principal Extension

CalDAV Standards

- RFC 4791: Calendaring Extensions to WebDAV (CalDAV)
- DRAFT: Scheduling Extensions to CalDAV

Index

A

access
 ACLs 36
 delegating 31, 37, 44
 permissions 36
 SACLs 29
 user 29
 ACLs (access control lists) 36
 asr tool 37
 attachments 25
 authentication 11, 23, 32
 authorization 29

B

backups, calendar file 36

C

CalConnect Consortium 11
 CalDAV (Calendar-Based Distributed Authoring and Versioning) protocol 11, 12, 48
 calendar service. *See* iCal service
 certificates 33
 clients
 delegating access 31
 integration with iCal 12
 See also users
 command-line tools 36, 37
 configuration
 advanced tools 41
 overview 14
 sample 13
 configuration files 36

D

Darwin Calendar Server project 11
 data store 24, 36, 42
 data transport encryption 33
 delegating access 31, 37, 44
 digest authentication 32
 directory record settings, user 29
 directory services 11
 disk quotas 25
 ditto tool 37

DNS (Domain Name System) service 26
 documentation 6, 7, 8, 47
 Domain Name System. *See* DNS
 domains, directory 11, 42

E

encryption 32, 33
 error messages. *See* troubleshooting
 events
 attachments 25
 and CalDAV architecture 41
 file organization 36
 iCalendar standard 11

F

file systems
 data store 24, 36, 42
 and processes 44
 and scalability 12
 overview 12
 files
 calendar 36
 configuration 36
 hierarchy 42
 plist 42
 folders, data store hierarchy 42

H

help, using 6
 host name, DNS 26
 HTTP (Hypertext Transfer Protocol) 11, 26, 41, 48

I

iCal service
 access control 29, 31, 36
 deleting calendars 37
 enabling 18
 load management 44
 maintaining 35
 monitoring 34
 overview 5, 10, 11, 12
 scalability 12
 setup 13, 14, 41

- shared settings 22
- standards 47
- starting 19
- stopping 19
- See also* configuration
- iCalendar standard 11, 47
- installation, planning for 15
- iTIP standard 11

K

- Kerberos 11, 32

L

- launchdctl tool 37
- Leopard server. *See* Mac OS X Server
- load balancing 44
- logs 34

M

- Mac OS X Server, integration with iCal 11

O

- Open Directory 11
- open source modules 11, 32, 47

P

- permissions, user 36
- plist files 42
- ports 26
- privileges, user 36
- problems. *See* troubleshooting
- protocols
 - CalDAV 11, 12, 41, 48
 - HTTP 11, 26, 41, 48
 - and standards 11
- Python 47

Q

- quotas, disk 25

R

- root permissions 38
- rsync tool 37

S

- SACLs (service access control lists) 29
- SANs (storage area networks) 12
- Secure Sockets Layer. *See* SSL
- security
 - authentication 11, 23, 32
 - permissions 36
 - tools 31, 33
 - See also* access
- Server Admin 22, 36
- serveradmin tool 24

- servers, host name setting 26
- service access control lists. *See* SACLs
- setup procedures. *See* installation; configuration
- sqlite databases 36
- SSL (Secure Sockets Layer) 33
- storage area networks. *See* SANs

T

- Time Machine 37
- troubleshooting 36
- Twisted network framework 47

U

- users
 - access control 29, 31
 - attachment quotas 25
 - permissions 36
 - See also* clients

V

- volumes. *See* file systems

W

- WebDAV (Web-Based Distributed Authoring and Versioning) 11, 41, 47, 48
- wikis 11

X

- Xsan 12